



INVESTIGATION SUMMARY REPORT

FEBRUARY 25th, 2017

PRIVATE RESIDENCE

BOSSIER CITY, LA.

NOTE: THE CLIENTS IN THIS INVESTIGATION HAVE REQUESTED CONFIDENTIALITY. SOME OF THE DATA IN THIS REPORT MAY HAVE BEEN OBSCURED TO HONOR THEIR REQUEST. THIS IN NO WAY AFFECTS THE DATA PRESENTED, OR ANY CONCLUSIONS HEREIN. NO PHOTOS OF THE INTERIOR OR THE EXTERIOR OF THE RESIDENCE HAVE BEEN INCLUDED.

HISTORY

The clients have rented the home in a subdivision for about one year. Activity has been noted since fall of 2016. The home sits on ground once occupied by Native Americans, with several mounds noted.

EXPERIENCES

The clients hear footsteps in the attic area. Security cameras have caught what they feel is shadows and apparitions. There is the feeling of an unseen presence in one bedroom.

INVESTIGATION

DATE OF INVESTIGATION: February 25, 2017

PARTICIPANTS: BESS MAXWELL, KIRK CORMIER, TRACI MYERS, and KEITH MYERS

EQUIPMENT: Digital Cameras, Infrared cameras and DVR system, Digital audio recorders, Ion Counters, P-SB7 Spirit Box, Infra-sound detection equipment, Digital thermometers, Various EMF meters including Tri-Fields, Motion detectors including geophone and laser grid systems, Ovilus interactive voice communications device, and digital sound recorders.

INVESTIGATION: At the time and places tested, no anomalous photos were taken. No data was noted on video. Nothing unusual was detected by laser grid or geophone. No high EMF fields from AC current were found in any location likely to result in prolonged exposure, although there are some areas of high EMF fields from wiring. No anomalous hot spots or cold spots were noted. No anomalous motions were noted. No standard EVP voices were recorded. Three recordings were noted of words formed by the P-SB7. No excessive positive ion counts were noted. No infrasound, nor standing waves of such, were detected at times of testing, in the areas of testing. No inordinate positive ion counts were noted.

PART ONE

THE MODEL P-SB7 SPIRIT BOX

This device utilizes a milli-second adjustable forward or reverse sweep technique coupled with a white noise distribution between frequency steps. This is designed to add ambient sound energy for the production of real time EVP, allowing for instant feedback in communications attempts. See item 16 in “General Parameters of the EVP Phenomenon”.

GUEST BEDROOM

CLIP ONE: Bess Maxwell: “Can you tell us who lives in this house?”

Voice: “WHAT??”

CLIP TWO: BESS MAXWELL: “Can you say the names of any of the people in this house?”

Voice: “Keith.” NOTE: Keith Myers was in another room.

CLIP THREE: Bess Maxwell: “Are you trying to get the client's attention?”

Female voice: “Richard.”

**STANDARD EVP
NONE NOTED**

CONCLUSION

At the time and places tested, no anomalous photos were taken. No data was noted on video. Nothing unusual was detected by laser grid or geophone. No high EMF fields from AC current were found in any location likely to result in prolonged exposure, although there are some areas of high EMF fields from wiring. No anomalous hot spots or cold spots were noted. No anomalous motions were noted. No EVP voices were recorded. Three recordings were made of words formed by the P-SB7. No excessive positive ion counts were noted. No infrasound, nor standing waves of such, were detected at times of testing, in the areas of testing. We feel that the personal experiences, and the audio tests received are probably indicative of an anomalous presence or presences, though without harmful intent.

We would like to thank the clients for inviting us into their home, and for the opportunity to study the phenomena there. We would also like to thank them for their most gracious hospitality, and hope that we may be able to return there again soon.