



# **INVESTIGATION SUMMARY REPORT**

## **FEBRUARY 18<sup>th</sup>, 2017**

### **PRIVATE RESIDENCE**

### **WEST MONROE, LA.**

**NOTE: THE CLIENTS IN THIS INVESTIGATION HAVE REQUESTED CONFIDENTIALITY. SOME OF THE DATA IN THIS REPORT MAY HAVE BEEN OBSCURED TO HONOR THEIR REQUEST. THIS IN NO WAY AFFECTS THE DATA PRESENTED, OR ANY CONCLUSIONS HEREIN. NO PHOTOS OF THE INTERIOR OR THE EXTERIOR OF THE RESIDENCE HAVE BEEN INCLUDED.**

# HISTORY

This home is in a subdivision in West Monroe. The client and family have lived there for quite a few years.

# EXPERIENCES

The clients hear voices, with no one in the area of the sounds. Footsteps are also heard, when no one is in the area of the sounds. Shadows are often seen, cause unknown. Apparition figures are seen, and objects have been both moved and thrown.

# INVESTIGATION

DATE OF INVESTIGATION: February 18, 2017

PARTICIPANTS: BESS MAXWELL, CONNIE WILLIAMON, KIRK CORMIER

EQUIPMENT: Digital Cameras, Infrared cameras and DVR system, Digital audio recorders, Ion Counters, P-SB7 Spirit Box, Infra-sound detection equipment, Digital thermometers, Various EMF meters including Tri-Fields, Motion detectors including geophone and laser grid systems, Ovilus interactive voice communications device, and and digital sound recorders.

INVESTIGATION: At the time and places tested, no anomalous photos were taken. No data was noted on video. Nothing unusual was detected by laser grid or geophone. No high EMF fields from AC current were found in any location likely to result in prolonged exposure, although there are some areas of high EMF fields from wiring. No anomalous hot spots or cold spots were noted. No anomalous motions were noted. No standard EVP voices were recorded. Five recordings were noted of words formed by the P-SB7. No excessive positive ion counts were noted. No infrasound, nor standing waves of such, were detected at times of testing, in the areas of testing. No inordinate positive ion counts were noted.

# **PART ONE**

## **THE MODEL P-SB7 SPIRIT BOX**

**This device utilizes a milli-second adjustable forward or reverse sweep technique coupled with a white noise distribution between frequency steps. This is designed to add ambient sound energy for the production of real time EVP, allowing for instant feedback in communications attempts. See item 16 in “General Parameters of the EVP Phenomenon”.**

### **CLIP ONE: LIVING ROOM**

**CLIENT: “What was that noise we heard in the kitchen? Was that you?”**

**CLIP TWO: BESS MAXWELL: “Can you give us a sign you're here?”**

**Voice: “It's me!”**

**CLIP THREE: KIRK CORMIER: “Do you come by or stay all time?”**

**Voice: “It's not fair!”**

**Voice 2: “I thank you.”**

**CLIP FOUR: Client explains how their granddaughter told them that her grandmother came to tell her goodbye.**

**Voice: “You're right!”**

**CLIP FIVE: Client talking about how big the kids are getting.**

**Voice: “Alright!”**

**Voice 2: “Bernie.”**

**STANDARD EVP  
NONE NOTED**

# CONCLUSION

At the time and places tested, no anomalous photos were taken. No data was noted on video. Nothing unusual was detected by laser grid or geophone. No high EMF fields from AC current were found in any location likely to result in prolonged exposure, although there are some areas of high EMF fields from wiring. No anomalous hot spots or cold spots were noted. No anomalous motions were noted. No EVP voices were recorded. Five recordings were made of words formed by the P-SB7. No excessive positive ion counts were noted. No infrasound, nor standing waves of such, were detected at times of testing, in the areas of testing. We feel that the personal experiences, and the audio tests received are probably indicative of an anomalous presence or presences, though without harmful intent.

We would like to thank the clients for inviting us into their home, and for the opportunity to study the phenomena there. We would also like to thank them for their most gracious hospitality, and hope that we may be able to return there again soon.